



PRODUCT FEATURES:

iErgo Platz is a multi purpose urban lighting column suitable for squares, roads, pedestrian precincts, car parks and sports grounds. Advanced thermal design with cutting-edge manufacturing process and materials. The system offers rotationally symmetrical light distribution narrow to wide beam.

Designed to last in extremely harsh environments.


RECOMMENDATIONS FOR THE USER:

- 1) Before the installation, make sure that there is no voltage.
- 2) Do not touch the fitting when it is working on / switched on
- 3) Do not look at the fitting directly or from a short distance.
- 4) Disconnect / switch off the fitting before changing the lamps



NOTES:

- Technical amendments are reserved.
- CE – Conformity mark
- The manufacturer is then discharged from liability when damage is caused by improper use or installation.
- Clean luminaire regularly with solvent-free cleansers from dirt and deposits. Do not use high pressure cleaners.


- 1) The M5 setscrews on the projector mounting outer table are loosened and the mounting inner table is removed.




- 2) - The mounting inner table is tightened to the mounting points on the pole by bolts.
 - The projector's cable is threaded into the pole.
 - The projector is placed and the M5 setscrews are tightened back.




- 3) - Shear connectors are fastened to anchorage with nuts
 - The prepared anchorage is embedded in the concrete.



- 4) After the concrete has been dried, the electrical cables are pulled and the nuts are removed.



- 5) - The fuse cover is removed from the pole.
 - The power cables are routed through the pole.
 - The pole is fixed on the anchor and the washer-nuts are tightened.



- 5) - Fuse box is removed.
 - Electrical connection is done.
 - The fusebox and the fuse cover is re-mounted.

